



DECLARACIÓN CE DE CONFORMIDAD

DECLARATION OF CONFORMITY

Producer:

Below signatory, in representation of the company:

FILINOX, S.A.
C/ Sant Adrià, 76
E-08030 Barcelona (SPAIN)

Customer: TUBINOX FILPRES - Aços Inoxidáveis, Lda.

Project: All run by the customer.

Product: INSTALPRESS INOX PIPES AND FITTINGS

Field of use: - Sanitary Installations, ACS, fresh water, steam an condensate.
- Installation of heating Systems for radiators, up to temperatures of 90 °C, with accidental tops of 110°C.
- Cold water or refrigeration circuits for systems of air conditioning: minimal admissible Temperature 5°C.
- Fire Protection Systems in fixed water extinguishing Systems.
- Compressed air Systems, Facilities of Lubricant, Fuel and Hydraulic Oil.
- Maximum Admissible pressure (PMA): 16 bars for the dimensions 12 mm to 108 mm.

Used materials: - Pipes in Stainless Steel Cr-Ni-Mo A-316L with (Ref. Material 1.4404). according norm EN 10312, EN 10217, DVGW GW 541.
- Racords made for shaped in cold with pipes according to norm EN 10312 Serial 2: A-316L with (Ref. Material 1.4404), with anealing final process.
- O-rings: EPDM according to norm IN 681-1.

Instructions for transport and storage: - Store in a dry place

Instructions for installation and cleaning: - Established by Technical Handbook, available in our web-site.

The products are produced according to the following standards:

Directiva marco sobre seguridad laboral [89/391/CEE, 12 de junio de 1989]
Directivas de productos de construcción [89/106/CEE, 27 de diciembre de 1988]
Directiva sobre agua potable [98/83/CEE, 3 de noviembre de 1998]
Directiva marco de aguas [2000/60/CEE, 23 de octubre de 2000]
DIN EN 806 [Edición abril 2001], DIN EN 10088 [Edición española 1996], DIN EN 10312 [Edición abril 2003]
Directiva sobre seguridad general de los productos [92/59/CEE, 29 de junio de 1992]
DVGW-W 270 , DVGW-W 534 , DVGW-W 541, DVGW-W 552 [Edición 1993] , DVGW-W 553 [Edición abril 1996],
Din 50961, ISO 9227., UNE-EN 681-1:1996

This current Producer's Declaration was issued according to tests in producer's own laboratory.

Other certificates:

Avis Technique 14.1/13-1865_V1 of CSTBat, Validity till: On June 30, 2027.	Certificate n° 13821 of DNV On January 30, 2023	Certificate n° DW-8511BQ0214 of DVGW On May 09, 2025
--	---	--

Certificate n° 3052124 of FM Approval On March 4, 2025	Certificate n° 1606-6520 of SVGW On January 31, 2027	Certificate n° 1704064 of WRAS On April 1, 2022
--	--	---

Responsible person for issuing:PERE PENYA VENTURA..... (Technical Manager).....

Date: On April 07, 2022

.....





CERT

DVGW type examination certificate

DVGW-Baumusterprüfzertifikat

DW-8501BR0155

Registration Number
Registriernummer

Field of Application <i>Anwendungsbereich</i>	products of water supply <i>Produkte der Wasserversorgung</i>
Owner of Certificate <i>Zertifikatinhaber</i>	FILINOX S.A. C/Sant Adria N° 76, E-08030 Barcelona
Distributor <i>Vertreiber</i>	FILINOX S.A. C/Sant Adria N° 76, E-08030 Barcelona
Product Category <i>Produktart</i>	installation systems with special pipes: drinking water installation systems (8801)
Product Description <i>Produktbezeichnung</i>	Drinking water installation system consisting of press connectors made of stainless steel and pipes made of stainless steel; unpressed leaky
Model <i>Modell</i>	INSTALPRESS
Test Reports <i>Prüfberichte</i>	laboratory control test: 120002974-20 from 15.02.2021 (MPM) type testing: 120002523 from 15.05.2006 (MPM)
Test Basis <i>Prüfgrundlagen</i>	DVGW W 534-(P) (01.07.2015) UBA ELASTOM (16.03.2016) DVGW W 270 (01.11.2007)

Date of Expiry / File No. 17.05.2026 / 21-0086-WNV
Ablaufdatum / Aktenzeichen

05.03.2021 LE A-1/2

Date, Issued by, Sheet, Head of Certification Body
Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle



Deutsche
Akkreditierungsstelle
D-ZE-16028-01-05

DVGW CERT GmbH
Zertifizierungsstelle

Josef-Wirmer-Str. 1-3
53123 Bonn

Tel. +49 228 91 88 - 888

Fax +49 228 91 88 - 993

www.dvgw-cert.com

info@dvgw-cert.com

Type <i>Typ</i>	Technical Data <i>Technische Daten</i>	Remarks <i>Bemerkungen</i>
INSTALPRESS	diameter: 15 mm	
INSTALPRESS	diameter: 18 mm	
INSTALPRESS	diameter: 22 mm	
INSTALPRESS	diameter: 28 mm	
INSTALPRESS	diameter: 35 mm	
INSTALPRESS	diameter: 42 mm	
INSTALPRESS	diameter: 54 mm	

certified Components*zertifizierte Bauteile / Werkstoffe*

Registr. No. <i>Registr.-Nr.</i>	Component <i>Bauteil (Produktart)</i>	Model/Type <i>Modell/Typ</i>	Manufacturer <i>Hersteller</i>
DV-7301AT2558	stainless steel tube	Edelstahlrohr "ILTA INOX"/Edelstahlrohr "ILTA INOX"	ILTA INOX S.P.A.
DW-5253BQ0461	Sealing material for drinking water installations	TIMO-70/TIMO-70	Tecnogomma International S.p.A.
DV-7301BS0316	stainless steel tube	Edelstahlrohr "IRSA"/Edelstahlrohr "IRSA"	Inoxidables de Rábade, S.A.

Hints of Utilization / Remarks*Verwendungshinweise / Bemerkungen*

Press connectors to be used: Type M-MM, Instalpress Europe

DWG



CERT

DVGW type examination certificate

DVGW-Baumusterprüfzertifikat

DW-8511BQ0214

Registration Number
Registriernummer

Field of Application <i>Anwendungsbereich</i>	products of water supply <i>Produkte der Wasserversorgung</i>
Owner of Certificate <i>Zertifikatinhaber</i>	FILINOX S.A. C/Sant Adria N° 76, E-08030 Barcelona
Distributor <i>Vertreiber</i>	FILINOX S.A. C/Sant Adria N° 76, E-08030 Barcelona
Product Category <i>Produktart</i>	installation systems and system joints: pipe joint for pipes in drinking water installation systems (8511)
Product Description <i>Produktbezeichnung</i>	System connector as a press connector made of stainless steel for pipes made of stainless steel in accordance with DVGW worksheet GW 541
Model <i>Modell</i>	INSTALPRESS
Test Reports <i>Prüfberichte</i>	laboratory control test: 120002974-19 from 12.12.2019 (MPM) mechanical test: 120002974-14 from 11.12.2014 (MPM) mechanical test: 120002974-13 from 29.11.2013 (MPM) mechanical test: 120002974-12 from 20.12.2012 (MPM) mechanical test: 120001982 from 27.04.2004 (MPM)
Test Basis <i>Prüfgrundlagen</i>	DVGW W 534 (01.05.2004) UBA ELASTOM (16.03.2016) DVGW W 270 (01.11.2007)
Date of Expiry / File No. <i>Ablaufdatum / Aktenzeichen</i>	09.05.2025 / 20-0187-WNV

7.0028-04-A-DE

16.04.2020 LE A-1/2

Date, Issued by, Sheet, Head of Certification Body
Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

DVGW CERT GmbH is an accredited body by DAkkS according to DIN EN ISO/IEC 17065:2013 for certification of products for energy and water supply industry.

DVGW CERT GmbH ist von der DAkkS nach DIN EN ISO/IEC 17065:2013 akkreditierte Stelle für die Zertifizierung von Produkten der Energie- und Wasserversorgung.



DVGW CERT GmbH
Zertifizierungsstelle

Josef-Wirmer-Str. 1-3
53123 Bonn

Tel. +49 228 91 88 - 888
Fax +49 228 91 88 - 993

www.dvgw-cert.com
info@dvgw-cert.com

Type <i>Typ</i>	Technical Data <i>Technische Daten</i>	Remarks <i>Bemerkungen</i>
INSTALPRESS	nominal diameter: 76,1 mm	
INSTALPRESS	nominal diameter: 88,9 mm	
INSTALPRESS	nominal diameter: 108 mm	

certified Components**zertifizierte Bauteile / Werkstoffe**

Registr. No. <i>Registr.-Nr.</i>	Component <i>Bauteil (Produktart)</i>	Model/Type <i>Modell/Typ</i>	Manufacturer <i>Hersteller</i>
DW-5253BQ0461	sealing material for drinking water installations	TIMO-70/TIMO-70	Tecnogomma International S.p.A.

Hints of Utilization / Remarks**Verwendungshinweise / Bemerkungen**

Press connectors to be used: metal, type M-MM, FILINOX S.A.

The test was carried out with stainless steel pipes in accordance with DVGW worksheet GW 541.